ENT COOPERATION TREA . .

	From the INTERNATIONAL BUREAU
PCT	То:
NOTIFICATION OF ELECTION (PCT Rule 61.2)	Assistant Commissioner for Patents United States Patent and Trademark Office
	Box PCT Washington, D.C.20231 ETATS-UNIS D'AMERIQUE
Date of mailing (day/month/year)	in its capacity as placed Office
23 October 2000 (23.10.00)	in its capacity as elected Office
International application No. PCT/US00/05915	Applicant's or agent's file reference 11137/05002
International filing date (day/month/year)	Priority date (day/month/year)
08 March 2000 (08.03.00)	08 March 1999 (08.03.99)
Applicant	
STEELE, Christopher, L. et al	
1. The designated Office is hereby notified of its election man X in the demand filed with the International Prelimina 26 Septembe in a notice effecting later election filed with the International Prelimina 28 Septembe Was Was Was Was not made before the expiration of 19 months from the priority Rule 32.2(b).	ry Examining Authority on: r 2000 (26.09.00) rnational Bureau on:
The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized officer Charlotte ENGER

Telephone No.: (41-22) 338.83.38

Form PCT/IB/331 (July 1992)

Facsimile No.: (41-22) 740.14.35

PCT



INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicantic	05.00	ant's file reference				
11137/05	_	ent's file reference	FOR FURTHER AC	CTION		ation of Transmittal of International r Examination Report (Form PCT/IPEA/416)
Internationa	al appl	ication No.	International filing date (day/month	/year)	Priority date (day/month/year)
PCT/US0	00/05	915	08/03/2000			08/03/1999
Internationa C12N15/		ent Classification (IPC) or na	tional classification and IPC			
Applicant THE SAN	NUE	ROBERTS NOBLE F	OUNDATION, INC. e	t al.		
		ational preliminary exami smitted to the applicant a		prepared	by this Inte	mational Preliminary Examining Authority
2. This F	REPC	PRT consists of a total of	6 sheets, including this	cover sh	eet.	
b	een a		is for this report and/or	sheets co	ontaining re	n, claims and/or drawings which have ctifications made before this Authority se PCT).
These	e ann	exes consist of a total of	7 sheets.			
3. This re	eport	contains indications rela	ting to the following iten	ns:		
,	\boxtimes	Basis of the report				
i		Priority				
111		•	oinion with regard to no	veltv. inve	entive step	and industrial applicability
IV		Lack of unity of inventio	_	, ,		and moderna approaching
V	×		der Article 35(2) with re		ovelty, inve	entive step or industrial applicability;
VI	\boxtimes	Certain documents cite	d			
VII		Certain defects in the in	ternational application			
VIII	\boxtimes	Certain observations on	the international applic	ation		
						
Date of subi	missio	n of the demand		Date of co	ompletion of	this report
26/09/200	00			13.06.20	01	
	exami	address of the international ning authority:		Authorize	d officer	STANDARD MERITAN
)	D-80	pean Patent Office 298 Munich +49 89 2399 - 0 Tx: 523656	epmu d	Huber,	A	Library State of Stat
	Fax.	+49 89 2399 - 4465	l	T-1	- 11- 40 5-	The state of the s

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/US00/05915

I. Basis	of the	report
----------	--------	--------

1.	the an	receiving Office in	ments of the international appression of the internation of the internation of the internation of the international appreciation of the international appropriate internationa	der Article 14 are	referred to in this i	report as "originally filed"
	1-2	28	as originally filed			
	Cla	aims, No.:				
	1-6	55	as received on	14/05/2001	with letter of	01/05/2001
	Dra	awings, sheets:				
	1/1	5-15/15	as originally filed			
	Se	quence listing part	t of the description, pages	:		
	1-1	1, filed with the lette	er of 21.06.2000			
2.			guage, all the elements mar international application was			
	The	ese elements were a	available or furnished to this	Authority in the fo	ollowing language:	, which is:
		the language of a	translation furnished for the	purposes of the in	nternational search	(under Rule 23.1(b)).
		the language of pu	ublication of the internationa	l application (unde	er Rule 48.3(b)).	
		the language of a 55.2 and/or 55.3).	translation furnished for the	purposes of inter	national preliminary	y examination (under Rule
3.			eleotide and/or amino acid y examination was carried o			
		contained in the in	ternational application in wr	itten form.		
		filed together with	the international application	in computer read	able form.	
	×	furnished subsequ	ently to this Authority in writ	ten form.		
	\boxtimes	furnished subsequ	ently to this Authority in con	nputer readable fo	orm.	
	Ø		t the subsequently furnished pplication as filed has been		e listing does not g	o beyond the disclosure in
	Ø	The statement tha listing has been fu	t the information recorded in rnished.	computer readat	ole form is identical	to the written sequence
4.	The	amendments have	resulted in the cancellation	of:		

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/US00/05915

		the description,	pages:		
		the claims,	Nos.:		
		the drawings,	sheets:		
5.		•			some of) the amendments had not been made, since they have been as filed (Rule 70.2(c)):
		(Any replacement sh report.)	eet contai	ning such	h amendments must be referred to under item 1 and annexed to this
6.	Add	litional observations, i	f necessai	ry:	
V.		soned statement un itions and explanatio			vith regard to novelty, inventive step or industrial applicability; ch statement
1.	Stat	tement			
	Nov	velty (N)	Yes: No:	Claims Claims	·

2. Citations and explanations see separate sheet

Industrial applicability (IA)

Inventive step (IS)

VI. Certain documents cited

1. Certain published documents (Rule 70.10)

and / or

2. Non-written disclosures (Rule 70.9)

see separate sheet

VIII. Certain observations on the international application

Yes:

No:

Yes: No: Claims 1-65 Claims

Claims 1-65

Claims

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made: see separate sheet

Re Item V

Reasoned statement under Article 35(2) with regard to novelty, inventive st p or industrial applicability; citations and explanations supporting such statem int

- 1. The present application relates to the isolation of genes catalysing the first step of the isoflavone synthase reaction (CYP93C) and the introduction of these genes into plant cells.
- 2. Reference is made to the following document:
 - D1: SIMINSZKY B. ET AL.: 'Cytochrome P450 monooxygenase CYP93C1p from soybean; AC AF022462' EBI DATABASE, 8 January 1998 (1998-01-08), XP002143672 cited in the application & SIMINSZKY B. ET AL.: Expression of a soybean cytochrome P450 monooxygenase cDNA in yeast and tobacco enhances the metabolism of phenylurea herbicides' PNAS, U.S.A., vol. 96, February 1999 (1999-02), pages 1750-1755, XP002100400
- 3. Novelty and inventive step (Art.33(2) and (3) PCT):
- 3.1 D1 discloses the nucleotide sequence of the cytochrome P450 monooxygenase CYP93C1. The sequence is almost identical to the sequence shown in SEQ ID No. 1 of present application (>98% identity in a 1659 bp overlap) and, except for three nucleotide differences it is identical in the portion consisting of nucleotide 36 to nucleotide 1598 of SEQ ID No. 1.
- 3.2 Amended Claim 34 requires that the portion which encodes a cytochrome P450 of the CYP93 family consists of nucleotides 36 to 1598 of SEQ ID No. 1. Due to the differences in the coding sequence of CYP93C1p (D1) and CYP93C1v2 (SEQ ID No.1 of present application), novelty of Claims 34-37 is acknowledged.
 - Since the function of the cytochrome P450 CYP93C1 of D1 was unknown, the skilled person would have no motivation to start from D1 in the attempt to find a variant of the gene disclosed in D1. Therefore, also an inventive step is recognized for the subject-matter of Claims 34-37.

3.3 Also the subject-matter of the other claims is considered to be novel and inventive. An enzyme which catalyzes the first step of the isoflavone synthase reaction has not been available from the prior art and does not seem to be directly and unambiguously derivable from any of the cited documents. The function of the gene product encoded by CYP93C1 (D1) was unknown and the gene has not been used for transforming plants. The skilled person would therefore not be prompted to use the sequence disclosed in D1 to produce transgenic plants which produce isoflavones and to use said plants according to the present invention.

R Item VI Certain documents cited

Application No	Publication date (day/month/year)	Filing date	Priority date (valid claim)
Patent No		(day/month/year)	(day/month/year)
WO-A-99/19493	22.04.99	05.10.98	10.10.97

Said document has been published after but filed before the claimed priority date of present application. It does therefore not constitute prior art in the sense of Rule 64(1)(b) PCT. It may, however, become of relevance for the novelty of the claimed subject-matter during regional phase examination and, if it later turns out that the priority of the present application has not been correctly claimed, also for the inventive step involved with the claimed subject-matter.

Re Item VIII

Certain observations on the international application

1. Claim 1 does not meet the requirements of Article 6 PCT in that the matter for which protection is sought is not clearly defined. An enzyme which is capable of catalysing the aryl migration of a flavanone to form an isoflavanone intermediate

(isoflavanone synthase) has apparently not been available in the prior art. The claim therefore attempts to define the subject-matter in terms of the result to be achieved which merely amounts to a statement of the underlying problem. The technical features necessary for achieving this result should be added. In the present case the DNA segment encoding the enzyme has to be defined by those technical features which allow the skilled person to clearly identify the matter for which protection is sought (e.g. the nucleotide sequence of the gene encoding the enzyme).

The same remark applies mutatis mutandis to all independent claims wherein the DNA segment encoding the isoflavanone synthase is defined as in Claim 1.

2. The term "CYP93C" gene which is used in the claims to define the DNA segment encoding the isoflavanone synthase is an internal designation which does not provide any technical teaching to the reader. A chemical compound such as a gene has to be defined by true technical features which allow the unambiguous identification of the claimed matter, e.g. in terms of the nucleotide sequence. The applicant argues that the designation CYP93C is an accepted term which refers to a subfamily of the ninety-third family of P450 enzymes. It may be accepted that members of the CYP93 family have been known in the prior art (see e.g. Akashi et al., FEBS Letters 432 (1998), pp. 287-290) where cDNA encoding CYP93B1, which encodes an enzyme with F2H activity is described). However, a P450 enzyme encoding isoflavanone synthase was apparently not known from the prior art. Therefore, definition of the enzyme by a family name is of no help for the identification of the respective enzyme. In addition, the post-published patent application WO 99/19493 mentions on page 27, I. 18-20, that CYP93C1 defined a new subfamily.

Consequently, claims in which the gene encoding isoflavanone synthase is merely defined by reference to the term CYP93C are unclear and do not meet the requirements of Art. 6 PCT.

3. Claim 52 is directed to a method of transforming a plant. However, no method steps are indicated in the claim.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Larvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
ВЈ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of Americ
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	` KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PΤ	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		




INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference		of Transmittal of International Search Report 220) as well as, where applicable, item 5 below.
11137/05002 International application No.	International filing date (day/month/year)	(Earliest) Priority Date (day/month/year)
PCT/US 00/05915	08/03/2000	08/03/1999
Applicant THE SAMUEL ROBERTS NOBLE	FOUNDATION, INC. et al.	
This International Search Report has been according to Article 18. A copy is being tra	n prepared by this International Searching Au Insmitted to the International Bureau.	thority and is transmitted to the applicant
This International Search Report consists X It is also accompanied by	of a total of5 sheets. a copy of each prior art document cited in thi	s report.
Basis of the report a. With regard to the language, the language in which it was filed, unli	international search was carried out on the ba ess otherwise indicated under this item.	asis of the international application in the
the international search w Authority (Rule 23.1(b)).	as carried out on the basis of a translation of	the international application furnished to this
was carried out on the basis of the X contained in the internatio filed together with the inte furnished subsequently to X furnished subsequently to X the statement that the sub- international application a	e sequence listing: nal application in written form. rnational application in computer readable for this Authority in written form. this Authority in computer readble form. rsequently furnished written sequence listing silied has been furnished.	does not go beyond the disclosure in the
the statement that the info	rmation recorded in computer readable form	is identical to the written sequence listing has been
2. X Certain claims were four	nd unsearchable (See Box I).	
3. Unity of invention is laci	dng (see Box II).	
4. With regard to the title , X the text is approved as su the text has been establisi	bmitted by the applicant. hed by this Authority to read as follows:	
		ity as it appears in Box III. The applicant may, port, submit comments to this Authority.
6. The figure of the drawings to be publicated by the applicant failed because the applicant failed because this figure better	cant.	None of the figures.

INTERNATIONAL SEARCH REPORT




A. CLASSIFICATION OF SUBJECT MATTER
1PC 7 C12N15/53 C12N15/82 C12N15/11 C12N9/02 C12N5/10 A01H5/00 A01H5/10 A23L1/00 According to International Patent Classification (IPC) or to both national classification and IPC **B. FIELDS SEARCHED** Minimum documentation searched (classification system followed by classification symbols) C12N A01H A23L Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) EPO-Internal, BIOSIS C. DOCUMENTS CONSIDERED TO BE RELEVANT Category ° Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. X "Cytochrome P450 SIMINSZKY B. ET AL.: 74-77 monooxygenase CYP93Clp from soybean; AC AF022462" EBI DATABASE, 8 January 1998 (1998-01-08), XP002143672 cited in the application the whole document & SIMINSZKY B. ET AL.: "Expression of a soybean cytochrome P450 monooxygenase cDNA in yeast and tobacco enhances the metabolism of phenylurea herbicides" PNAS, U.S.A., vol. 96, February 1999 (1999-02), pages 1750-1755, XP002100400 the whole document -/--Further documents are listed in the continuation of box C. X Patent family members are listed in annex. Special categories of cited documents: "T" later document published after the international filing date or priority date and not in conflict with the application but "A" document defining the general state of the art which is not considered to be of particular relevance cited to understand the principle or theory underlying the invention "E" earlier document but published on or after the international "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such docu-"O" document referring to an oral disclosure, use, exhibition or other means ments, such combination being obvious to a person skilled *P* document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report 27 July 2000 10/08/2000 Name and mailing address of the ISA Authorized officer European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016 Kania, T



Citation of document, with indication, where appropriate, of the relevant passages	Relevant to daim No.
COLLIVER S P ET AL: "Differential modification of flavonoid and isoflavonoid biosynthesis with an antisense chalcone synthase construct in transgenic Lotus corniculatus." PLANT MOLECULAR BIOLOGY, vol. 35, no. 4, 1997, pages 509-522, XP002143673 ISSN: 0167-4412 the whole document	1-104
PAIVA N L ET AL: "REGULATION OF ISOFLAVONOID METABOLISM IN ALFALFA" PLANT CELL, TISSUE AND ORGAN CULTURE,XX,KLUWER ACADEMIC PUBLISHERS, vol. 38, no. 2/03, 1994, pages 213-220, XP000571330 ISSN: 0167-6857 the whole document	1-104
OTANI K. ET AL.: "Licodione synthase, a cytochrome P-450 monooxygenase catalyzing 2-Hydroxylation of 5-Deoxyflavanone in cultured Glycyrrhiza achinata L. cells" PLANT PHYSIOLOGY, vol. 105, 1994, pages 1427-1432, XP002143674 the whole document	1-104
AKASHI T. ET AL.: "Identification of a cytochrome P450 cDNA encoding (2S)-flavanone 2-hydroxylase of licorice (Glycyrrhiza echinata L.; Fabaceae) which represents licodione synthase and flavone synthase" FEBS LETTERS, vol. 431, 1998, pages 287-290, XP002927621 cited in the application the whole document	1-104
WO 96 15239 A (SAMUEL ROBERTS NOBLE FOUNDATIO) 23 May 1996 (1996-05-23) the whole document	1-104
DIXON RICHARD A ET AL: "The isoflavonoid phytoalexin pathway: From enzymes to genes to transcription factors." PHYSIOLOGIA PLANTARUM, vol. 93, no. 2, 1995, pages 385-392, XP000925614 ISSN: 0031-9317 the whole document	1-104
	modification of flavonoid and isoflavonoid biosynthasis with an antisense chalcone synthase construct in transgenic Lotus corniculatus." PLANT MOLECULAR BIOLOGY, vol. 35, no. 4, 1997, pages 509–522, XP002143673 ISSN: 0167-4412 the whole document PAIVA N L ET AL: "REGULATION OF ISOFLAVONOID METABOLISM IN ALFALFA" PLANT CELL, TISSUE AND ORGAN CULTURE, XX, KLUWER ACADEMIC PUBLISHERS, vol. 38, no. 2/03, 1994, pages 213–220, XP000571330 ISSN: 0167-6857 the whole document OTANI K. ET AL.: "Licodione synthase, a cytochrome P-450 monooxygenase catalyzing 2-Hydroxylation of 5-Deoxyflavanone in cultured Glycyrrhiza achinata L. cells" PLANT PHYSIOLOGY, vol. 105, 1994, pages 1427-1432, XP002143674 the whole document AKASHI T. ET AL.: "Identification of a cytochrome P450 cDNA encoding (2S)-flavanone 2-hydroxylase of licorice (Glycyrrhiza echinata L.; Fabaceae) which represents licodione synthase and flavone synthase" FEBS LETTERS, vol. 431, 1998, pages 287-290, XP002927621 cited in the application the whole document WO 96 15239 A (SAMUEL ROBERTS NOBLE FOUNDATIO) 23 May 1996 (1996-05-23) the whole document DIXON RICHARD A ET AL: "The isoflavonoid phytoalexin pathway: From enzymes to genes to transcription factors." PHYSIOLOGIA PLANTARUM, vol. 93, no. 2, 1995, pages 385-392, XP000925614 ISSN: 0031-9317 the whole document

INTERNATIONAL SEARCH REPORT



C.(Continuation	n) DOCUMENTS CONSIDERED TO BE RELEVANT	1 647 03 007 03913
	tation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	DIXON, R. A. ET AL: "Molecular controls for isoflavonoid biosynthesis in relation to plant and human health" 1999, PHYTOCHEMICALS IN HUMAN HEALTH PROTECTION, NUTRITION, AND PLANT DEFENSE, (1999) PP. 133-159. 99 REF. PUBLISHER: KLUWER ACADEMIC/PLENUM PUBLISHERS. NEW YORK ISBN: 0-306-46203-6 XP000925618 see esp. pp.143/44	1-104
P,X	AKASHI TOMOYOSHI ET AL: "Cloning and functional expression of a cytochrome P450 cDNA encoding 2-hydroxyisoflavanone synthase involved in biosynthesis of the isoflavonoid skeleton in licorice." PLANT PHYSIOLOGY (ROCKVILLE), vol. 121, no. 3, November 1999 (1999-11), pages 821-828, XP002143675 ISSN: 0032-0889 see esp. p.1431 r.col. the whole document	41
	WO 99 19493 A (UNIV NORTH CAROLINA ;DEWEY RALPH E (US); CORBIN FREDERICK T (US);) 22 April 1999 (1999-04-22) see esp. example 2; SEQ ID NO:9	74-77
	STEELE CHRISTOPHER L ET AL: "Molecular characterization of the enzyme catalyzing the aryl migration reaction of isoflavonoid biosynthesis in soybean." ARCHIVES OF BIOCHEMISTRY AND BIOPHYSICS, vol. 367, no. 1, 1 July 1999 (1999-07-01), pages 146-150, XP000925681 ISSN: 0003-9861 the whole document	74-77
	JUNG WOOSUK ET AL: "Identification and expression of isoflavone synthase, the key enzyme for biosynthesis of isoflavones in legumes." NATURE BIOTECHNOLOGY, vol. 18, no. 2, February 2000 (2000-02), pages 208-212, XP002143676 ISSN: 1087-0156 the whole document	1-5, 8-10,15, 16,20, 21, 47-51, 54-56, 74-77, 89, 99-102

INTERNATIONAL SEARCH REPORT

on on patent family members

tional Application No
Per/US 00/05915

Patent document cited in search report		Publication date		Patent family member(s)		Publication date
WO 9615239	Α	23-05-1996	US	5750399	A	12-05-1998
			AU	699496	В	03-12-1998
			AU	3972795	Α	06-06-1996
			CA	2204131	Α	23-05-1996
			EP	0792356	Α	03-09-1997
			JP	10508750	T	02-09-1998
			NZ	296033	Α	25-02-1999
WO 9919493	Α	22-04-1999	AU	9680698	A	03-05-1999

WE CLAIM:

5

1. A method for introducing into a naturally non-isoflavonoid-producing plant species the enzyme catalyzing the aryl migration of a flavanone to form an isoflavanone intermediate or an isoflavone, comprising:

introducing a DNA segment encoding said enzyme into said plant to form a transgenic plant, wherein said transgenic plant expresses said DNA segment under the control of a suitable constitutive or inducible promoter when said transgenic plant is exposed to conditions which permit expression.

- 2. The method of Claim 1, wherein said DNA segment comprises isolated genomic DNA.
- 3. The method of Claim 1, wherein said DNA segment comprises recombinant DNA.
- 4. The method of Claim 1, 2 or 3, wherein said DNA segment comprises a CYP93C gene.
- 5. The method of Claim 4, wherein said DNA segment consists essentially of the sequence from about nucleotide 36 to about nucleotide 1598 of the sequence depicted in SEQ ID NO:1.
- 6. The method of Claim 1, 2 or 3, wherein said DNA segment comprises a *Medicago truncatula* homolog of a CYP93C gene.
- 7. The method of Claim 6, wherein said DNA segment consists essentially of the sequence from about nucleotide 92 to about nucleotide 1657 of the sequence depicted in SEQ ID NO:4.
- 8. The method of Claim 1, wherein chalcone synthase, chalcone reductase, and chalcone isomerase genes are also expressed in said plant to cause in vivo formation of daidzein or a daidzein derivative.

9. The method of Claim 2, wherein chalcone synthase, chalcone reductase, and chalcone isomerase genes are also expressed in said plant to cause in vivo formation of daidzein or a daidzein derivative.

- 10. The method of Claim 3, wherein chalcone synthase, chalcone reductase, and chalcone isomerase genes are also expressed in said plant to cause in vivo formation of daidzein or a daidzein derivative.
- 11. The method of Claim 8, 9 or 10, wherein said plant is further transformed to comprise said chalcone synthase, chalcone reductase, and chalcone isomerase genes.
- 12. The method of Claim 1, 2, 3, 8, 9 or 10, wherein said plant further comprises downstream genes to metabolize said formed isoflavanone intermediate or isoflavone to biologically active isoflavonoid derivatives or conjugates.
- 13. The method of Claim 12, wherein said downstream gene is selected from the group consisting of isoflavone *O*-methyltransferase, isoflavone 2'-hydroxylase, isoflavone reductase, and vestitone reductase.
- 14. The method of Claim 13, wherein said plant comprises downstream gene 4'-O-methyltransferase to form biochanin A or a biochanin A derivative.
- 15. The method of Claim 1, 2, 3, 5, 7, 8, 9, 10, 13 or 14, wherein said flavanone is liquiritigenin.
 - 16. The method of Claim 4, wherein said flavanone is liquiritigenin.
 - 17. The method of Claim 6, wherein said flavanone is liquiritigenin.
 - 18. The method of Claim 11, wherein said flavanone is liquiritigenin.
 - 19. The method of Claim 12, wherein said flavanone is liquiritigenin.
- 20. The method of Claim 1, 2, 3, 5, 7, 8, 9, 10, 13 or 14, wherein said flavanone is naringenin.

- 21. The method of Claim 4, wherein said flavanone is naringenin.
- 22. The method of Claim 6, wherein said flavanone is naringenin.
- 23. The method of Claim 11, wherein said flavanone is naringenin.
- 24. The method of Claim 12, wherein said flavanone is naringenin.
- 25. A method for increasing the level of isoflavonoid compounds in naturally isoflavonoid-producing plants comprising:

introducing a DNA segment encoding the enzyme catalyzing the aryl migration of a flavanone to yield an isoflavonoid to form a transgenic plant, wherein said transgenic plant expresses said DNA segment under the control of a suitable constitutive or inducible promoter when said transgenic plant is exposed to conditions which permit expression.

- 26. The method of Claim 25, wherein said isoflavonoid is selected from the group consisting of an isoflavanone intermediate, an isoflavone, an isoflavone derivative, and an isoflavone conjugate.
- 27. The method of Claim 25, wherein said DNA segment comprises isolated genomic DNA.
- 28. The method of Claim 26, wherein said DNA segment comprises isolated genomic DNA.
- 29. The method of Claim 25, wherein said DNA segment comprises recombinant DNA.
- 30. The method of Claim 26, wherein said DNA segment comprises recombinant DNA.
- 31. The method of Claim 25, 26, 27, 28, 29 or 30, wherein said DNA segment comprises a CYP93C gene.

32. The method of Claim 31, wherein said DNA segment consists essentially of the sequence from about nucleotide 36 to about nucleotide 1598 of the sequence depicted in SEQ ID NO:1.

- 33. The method of Claim 25, 26, 27, 28, 29 or 30, wherein said DNA segment is a *Medicago truncatula* homolog of a CYP93C gene.
- 34. The method of Claim 33, wherein said DNA segment consists essentially of the sequence from about nucleotide 92 to about nucleotide 1657 of the sequence depicted in SEQ ID NO:4.
- 35. The method of Claim 25, 26, 27, 28, 29, 30, 32 or 34, wherein said flavanone is liquiritigenin.
 - 36. The method of Claim 31, wherein said flavanone is liquiritigenin.
 - 37. The method of Claim 33, wherein said flavanone is liquiritigenin.
- 38. The method of Claim 25, 26, 27, 28, 29, 30, 32 or 34, wherein said flavanone is naringenin.
 - 39. The method of Claim 31, wherein said flavanone is naringenin.
 - 40. The method of Claim 33, wherein said flavanone is naringenin.
- 41. A method for synthesizing an isoflavanone intermediate or an isoflavone from a flavanone by expressing a recombinant CYP93C gene segment in a suitable bacterial, fungal, algal, or insect cell system.
- 42. The method of Claim 41, wherein said gene segment consists essentially of the sequence from about nucleotide 36 to about nucleotide 1598 of the sequence depicted in SEQ ID NO:1.
- 43. The method of Claim 41, wherein said gene segment consists essentially of the sequence from about nucleotide 92 to about nucleotide 1657 of the sequence depicted in SEQ ID NO:4.

44. A method of reducing the levels of isoflavonoid compounds in a naturally isoflavonoid-producing plant comprising introducing and expressing an antisense or gene silencing construct that contains an intact CYP93C gene or segments thereof into said plant.

- 45. The method of Claim 44, wherein said gene consists essentially of the sequence from about nucleotide 36 to about nucleotide 1598 of the sequence depicted in SEQ ID NO:1.
- 46. The method of Claim 44, wherein said gene consists essentially of the sequence from about nucleotide 92 to about nucleotide 1657 of the sequence depicted in SEQ ID NO:4.
- 47. A naturally non-isoflavonoid-producing plant cell transformed by introducing a DNA segment encoding the enzyme catalyzing the aryl migration of a flavanone to form an isoflavanone intermediate or an isoflavone, wherein said transgenic plant cell expresses said DNA segment under the control of a suitable constitutive or inducible promoter when exposed to conditions which permit expression.

- 48. The plant cell of Claim 47, wherein said DNA segment comprises isolated genomic DNA.
- 49. The plant cell of Claim 47, wherein said DNA segment comprises recombinant DNA.
- 50. The plant cell of Claim 47, 48 or 49, wherein said DNA segment comprises a CYP93C gene.
- 51. The plant cell of Claim 50, wherein said DNA segment consists essentially of the sequence from about nucleotide 36 to about nucleotide 1598 of the sequence depicted in SEQ ID NO:1.
- 52. The plant cell of Claim 47, 48 or 49, wherein said DNA segment comprises a *Medicago truncatula* homolog of a CYP93C gene.

53. The plant cell of Claim 52, wherein said DNA segment consists essentially of the sequence from about nucleotide 92 to about nucleotide 1657 of the sequence depicted in SEQ ID NO:4.

- 54. The plant cell of Claim 47, wherein chalcone synthase, chalcone reductase, and chalcone isomerase genes are also expressed in said plant cell to cause in vivo formation of daidzein or a daidzein derivative.
- 55. The plant cell of Claim 48, wherein chalcone synthase, chalcone reductase, and chalcone isomerase genes are also expressed in said plant cell to cause in vivo formation of daidzein or a daidzein derivative.
- 56. The plant cell of Claim 49, wherein chalcone synthase, chalcone reductase, and chalcone isomerase genes are also expressed in said plant cell to cause in vivo formation of daidzein or a daidzein derivative.
- 57. The plant cell of Claim 54, 55 or 56, wherein said plant cell is further transformed to comprise said chalcone synthase, chalcone reductase, and chalcone isomerase genes.
- 58. The plant cell of Claim 47, 48, 49, 54, 55 or 56, wherein said plant cell further comprises downstream genes to metabolize said formed isoflavanone intermediate or isoflavone to biologically active isoflavonoid derivatives or conjugates.
- 59. The plant cell of Claim 58, wherein said downstream gene is selected from the group consisting of isoflavone *O*-methyltransferase, isoflavone 2'-hydroxylase, isoflavone reductase, and vestitone reductase.
- 60. The plant cell of Claim 59, wherein said plant cell comprises downstream gene 4'-O-methyltransferase to cause in vivo formation of biochanin A or a biochanin A derivative.

61. A naturally isoflavonoid-producing plant cell transformed by introducing a DNA segment encoding the enzyme catalyzing the aryl migration of a flavanone to yield an isoflavonoid to form a transformed plant cell, wherein said transformed plant cell expresses said DNA segment under the control of a suitable constitutive or inducible promoter when exposed to conditions which permit expression.

- 62. The plant cell of Claim 61, wherein said isoflavonoid is selected from the group consisting of an isoflavanone intermediate, an isoflavone, an isoflavone derivative, and an isoflavone conjugate.
- 63. The plant cell of Claim 61, wherein said DNA segment comprises isolated genomic DNA.
- 64. The plant cell of Claim 62, wherein said DNA segment comprises isolated genomic DNA.
- 65. The plant cell of Claim 61, wherein said DNA segment comprises recombinant DNA.
- 66. The plant cell of Claim 62, wherein said DNA segment comprises recombinant DNA.
- 67. The plant cell of Claim 61, 62, 63, 64, 65 or 66, wherein said DNA segment comprises a CYP93C gene.
- 68. The plant cell of Claim 67, wherein said DNA segment consists essentially of the sequence from about nucleotide 36 to about nucleotide 1598 of the sequence depicted in SEQ ID NO:1.
- 69. The plant cell of Claim 61, 62, 63, 64, 65 or 66, wherein said DNA segment is a *Medicago truncatula* homolog of a CYP93C gene.
- 70. The plant cell of Claim 69, wherein said DNA segment consists essentially of the sequence from about nucleotide 92 to about nucleotide 1657 of the sequence depicted in SEO ID NO:4.

71. A transgenic plant cell having reduced levels of isoflavonoid compounds, said plant cell transformed by introducing an antisense or gene silencing construct that contains an intact CYP93C gene or segments thereof into said plant cell.

- 72. The plant cell of Claim 71, wherein said gene consists essentially of the sequence from about nucleotide 36 to about nucleotide 1598 of the sequence depicted in SEQ ID NO:1.
- 73. The plant cell of Claim 71, wherein said gene consists essentially of the sequence from about nucleotide 92 to about nucleotide 1657 of the sequence depicted in SEQ ID NO:4.
- 74. An isolated gene or DNA segment comprising a portion which encodes a cytochrome P450 of the CYP93 family that can catalyze the aryl migration of a flavanone to yield an isoflavanone intermediate or an isoflavone, wherein said portion consists essentially of about nucleotide 36 to about nucleotide 1598 of the sequence depicted in SEQ ID NO:1.

5

- 75. The gene or DNA segment of Claim 74, wherein said gene is the soybean gene encoding the enzyme catalyzing the aryl migration of liquiritigenin.
- 76. The gene or DNA segment of Claim 74, wherein said gene is the soybean gene encoding the enzyme catalyzing the aryl migration of naringenin.
- 77. A protein encoded by a portion of an isolated gene or DNA segment which encodes a cytochrome P450 that can catalyze the aryl migration of a flavanone to yield an isoflavanone intermediate or an isoflavone, wherein said portion consists essentially of about nucleotide 36 to about nucleotide 1598 of the sequence depicted in SEQ ID NO:1.
- 78. An isolated gene or DNA segment comprising a portion which encodes a cytochrome P450 that can catalyze the aryl migration of a flavanone to yield an isoflavanone intermediate or an isoflavone, wherein said portion is a *Medicago truncatula* homolog of a CYP93C gene.

79. The gene or DNA segment of Claim 78 consisting essentially of about nucleotide 92 to about nucleotide 1657 of the sequence depicted in SEQ ID NO:4

- 80. The gene or DNA segment of Claim 78, wherein said gene is the *Medicago truncatula* gene encoding the enzyme catalyzing the aryl migration of liquiritigenin.
- 81. The gene or DNA segment of Claim 79, wherein said gene is the *Medicago truncatula* gene encoding the enzyme catalyzing the aryl migration of liquiritigenin.
- 82. The gene or DNA segment of Claim 78, wherein said gene is the *Medicago truncatula* gene encoding the enzyme catalyzing the aryl migration of naringenin.
- 83. The gene or DNA segment of Claim 79, wherein said gene is the *Medicago truncatula* gene encoding the enzyme catalyzing the aryl migration of naringenin.
- 84. A protein encoded by a portion of an isolated gene or DNA segment which encodes a cytochrome P450 that can catalyze the aryl migration of a flavanone to yield an isoflavanone intermediate or an isoflavone, wherein said portion is a *Medicago truncatula* homolog of a CYP93C gene.
- 85. A food comprising edible transgenic plant material capable of being ingested for its nutritional value, said transgenic plant is transformed with an isolated gene or DNA segment which encodes a cytochrome P450 that can catalyze the aryl migration of a flavanone to yield an isoflavanone intermediate or an isoflavone, wherein said transgenic plant exhibits increased levels of an isoflavonoid when compared to the level of said isoflavonoid in plants of the same species which do not comprise said isolated gene or DNA segment.

5

86. A food comprising at least one isoflavonoid, wherein said isoflavonoid is isolated from a transgenic plant transformed with an isolated gene or DNA segment

1

which encodes a cytochrome P450 that can catalyze the aryl migration of a flavanone to yield an isoflavanone intermediate or an isoflavone, wherein said transgenic plant exhibits increased levels of an isoflavonoid when compared to the level of said isoflavonoid in plants of the same species which do not comprise said isolated gene or DNA segment.

5

5

5

- 87. A composition comprising at least a portion of a transgenic plant transformed with an isolated gene or DNA segment which encodes a cytochrome P450 that can catalyze the aryl migration of a flavanone to yield an isoflavanone intermediate or an isoflavone, wherein said transgenic plant exhibits increased levels of an isoflavonoid when compared to the level of said isoflavonoid in plants of the same species which do not comprise said isolated gene or DNA segment, said composition suitable for ingestion as a food stuff, a nutritional supplement, an animal feed supplement, or a nutraceutical.
- 88. A composition comprising an isoflavonoid suitable for administration as a food stuff, a nutritional supplement, an animal feed supplement, a nutraceutical, or a pharmaceutical, said isoflavonoid isolated from at least a portion of a transgenic plant transformed with an isolated gene or DNA segment which encodes a cytochrome P450 that can catalyze the aryl migration of a flavanone to yield an isoflavanone intermediate or an isoflavone, wherein said transgenic plant exhibits increased levels of an isoflavonoid when compared to the level of said isoflavonoid in plants of the same species which do not comprise said isolated gene or DNA segment.
- 89. A method of increasing the nutritional value of a plant by transforming said plant with an isolated gene or DNA segment which encodes a cytochrome P450 that can catalyze the aryl migration of a flavanone to yield an isoflavanone intermediate or an isoflavone, wherein said transgenic plant exhibits increased levels of an isoflavonoid when compared to the level of said isoflavonoid in plants of the same species which do not comprise said isolated gene or DNA segment.

90. A method of using a transgenic plant transformed with an isolated gene or DNA segment which encodes a cytochrome P450 that can catalyze the aryl migration of a flavanone to yield an isoflavanone intermediate or an isoflavone, wherein said transgenic plant exhibits an increased level of an isoflavonoid when compared to the level of said isoflavonoid in plants of the same species which do not comprise said isolated gene or DNA segment, to provide a nutraceutical benefit to a human or animal administered said isoflavonoid.

5

5

- 91. The method of claim 90, wherein said isoflavonoid is administered by ingestion of at least a portion of said plant.
- 92. The method of claim 90, wherein said isoflavonoid is administered by ingestion of a composition comprising an isoflavonoid isolated from said plant.
- 93. A method of using an isoflavonoid isolated from a transgenic plant transformed with an isolated gene or DNA segment which encodes a cytochrome P450 that can catalyze the aryl migration of a flavanone to yield an isoflavanone intermediate or an isoflavone, wherein said transgenic plant exhibits an increased level of an isoflavonoid when compared to the level of said isoflavonoid in plants of the same species which do not comprise said isolated gene or DNA segment, to provide a pharmaceutical benefit to a patient administered said isoflavonoid.
- 94. A method of increasing disease resistance in a plant by transforming said plant with an isolated gene or DNA segment which encodes a cytochrome P450 that can catalyze the aryl migration of a flavanone to yield an isoflavanone intermediate or an isoflavone, wherein said transgenic plant exhibits an increased level of an isoflavonoid when compared to the level of said isoflavonoid in plants of the same species which do not comprise said isolated gene or DNA segment.

95. A method of increasing nodulation efficiency of a leguminous plant by transforming said plant with an isolated gene or DNA segment which encodes a cytochrome P450 that can catalyze the aryl migration of a flavanone to yield an isoflavanone intermediate or an isoflavone, wherein said transgenic plant exhibits an increased level of an isoflavonoid released from the roots of said transgenic plant when compared to the level of the isoflavonoid released from the roots of plants of the same species which do not comprise said isolated gene or DNA segment.

5

5

5

- 96. A leguminous transgenic plant exhibiting increased nodulation efficiency, wherein said transgenic plant is transformed with an isolated gene or DNA segment which encodes a cytochrome P450 that can catalyze the aryl migration of a flavanone to yield an isoflavanone intermediate or an isoflavone, and wherein said transgenic plant exhibits an increased level of an isoflavonoid released from the roots of said transgenic plant when compared to the level of the isoflavonoid released from the roots of plants of the same species which do not comprise said isolated gene or DNA segment.
- 97. A method of increasing bacterial or fungal symbiosis in a plant by transforming said plant with an isolated gene or DNA segment which encodes a cytochrome P450 that can catalyze the aryl migration of a flavanone to yield an isoflavanone intermediate or an isoflavone, wherein said transgenic plant exhibits an increased level of an isoflavonoid when compared to the level of said isoflavonoid in plants of the same species which do not comprise said isolated gene or DNA segment.
- 98. A transgenic plant exhibiting an increased level of bacterial or fungal symbiosis, wherein said transgenic plant is transformed with an isolated gene or DNA segment which encodes a cytochrome P450 that can catalyze the aryl migration of a flavanone to yield an isoflavanone intermediate or an isoflavone, and wherein said transgenic plant exhibits an increased level of an isoflavonoid when compared to the level of said isoflavonoid in plants of the same species which do not comprise the isolated gene or DNA segment.

99. A transgenic plant comprising at least one recombinant DNA sequence encoding a cytochrome P450 that can catalyze the aryl migration of a flavanone to yield an isoflavanone intermediate or an isoflavone, wherein said transgenic plant exhibits an increased level of an isoflavonoid when compared to the level of said isoflavonoid in plants of the same species which do not comprise said recombinant DNA sequence.

5

5

5

5

- 100. Seed from a transgenic plant comprising at least one recombinant DNA sequence encoding a cytochrome P450 that can catalyze the aryl migration of a flavanone to yield an isoflavanone intermediate or an isoflavone, wherein said transgenic plant exhibits an increased level of an isoflavonoid when compared to the level of said isoflavonoid in plants of the same species which do not comprise said recombinant DNA sequence.
- 101. Progeny from a transgenic plant comprising at least one recombinant DNA sequence encoding a cytochrome P450 that can catalyze the aryl migration of a flavanone to yield an isoflavanone intermediate or an isoflavone, wherein said transgenic plant exhibits an increased level of an isoflavonoid when compared to the level of said isoflavonoid in plants of the same species which do not comprise said recombinant DNA sequence.
- 102. Progeny from seed of a transgenic plant comprising at least one recombinant DNA sequence encoding a cytochrome P450 that can catalyze the aryl migration of a flavanone to yield an isoflavanone intermediate or an isoflavone, wherein said transgenic plant exhibits an increased level of an isoflavonoid when compared to the level of said isoflavonoid in plants of the same species which do not comprise said recombinant DNA sequence.
- 103. Use of a transgenic plant transformed with an isolated gene or DNA segment which encodes a cytochrome P450 that can catalyze the aryl migration of a flavanone to yield an isoflavanone intermediate or an isoflavone, wherein said transgenic plant exhibits an increased level of an isoflavonoid when compared to the level of said isoflavonoid in plants of the same species which do not comprise said

isolated gene or DNA segment, for the preparation of a nutraceutical preparation for achieving a nutritional effect.

104. Use of a transgenic plant transformed with an isolated gene or DNA segment which encodes a cytochrome P450 that can catalyze the aryl migration of a flavanone to yield an isoflavanone intermediate or an isoflavone, wherein said transgenic plant exhibits an increased level of an isoflavonoid when compared to the level of said isoflavonoid in plants of the same species which do not comprise said isolated gene or DNA segment, for the preparation of a pharmaceutical preparation for achieving a therapeutic effect.